

INDY-CATOR[®]

Mounting Set



Operating Instructions

Table of Contents

Page 3	About the INDY-CATOR mounting set
Page 4	Package content
Page 5	Instrument installation

About the INDY-CATOR mounting set

Four different attachment versions for which generally all assembly modules were included with the mounting set, guarantee easy and secure installation in any vehicle type.

The glue/screwing base serves for attachment, e.g. on the dashboard. (Fig. 1)

The mounting set can be attached to the ventilation grille with the clamp. (Fig. 2)

The suction cup securely fastens your IndyCator to the front window. (Fig. 3)



Figure 1



Figure 2



Figure 3

Package content

- 1 Instrument casing with ball join (1x)
- 2 Rubber hose piece (1x)
- 3 Ball retention ring (1x)
- 4 Suction cup for attachment to the wind shield (1x)
- 5 Glue/screw base (1x)
- 6 Clamp attachment for ventilation grille (1x)



Figure 4

Instrument installation

1.1.1

Place retention ring over ball head - edge points towards casing. (Fig. 5)



Figure 5

1.1.2

Press ball into socket (fig. 6) and press on retention ring. The instrument casing can now be oriented in any direction. (fig. 7) (To loosen, lift off retention ring and pull ball from socket.)



Figure 6



Figure 7

1.1.3

Pull the rubber hose piece over the thread of the display instrument (fig. 8) and press the instrument into the instrument casing.



Figure 8

(Please align instrument before pressing in using the INDY-CATOR scripture!)



Figure 9